



## CHILLER OR FREEZER INTERMEDIATE WALL FIXING

**NOTES FOR FREEZERS ONLY:**

1. LEAVE M10 BEAMCLAMP NUTS LOOSE TO ALLOW THERMAL BOW TO OCCUR  
RETIGHTEN WHEN BOW IS SET.

**NOTES:**

1. ALL PANELS TO BE FM APPROVED, POLYPHEN, KINGSPAN,  
OR METECNOPANEL.
2. 4.8mm STEEL RIVETS MAY BE USED IN LIEU OF 8gX16mm  
SELF TAPPING SCREWS.
3. PANEL TO PANEL JOINTS TO BE SEALED WITH FOSROC OR SELLEYS  
COLDROOM MASTIC OR SIMILAR

DIMENSIONS ARE IN mm DO NOT SCALE



**Retracom**

*Insulated Panel Systems*

60 Magnesium Dr Crestmead, QLD. 4132  
Tel: (07) 3803 4733, Fax: (07) 3803 4711  
Email: sales@retracom.com.au

Title: INTERMEDIATE WALL SUPPORT – FM STANDARD

For: ...

Job No.: ...

Date Drawn:  
21-08-06

By:

C.L.

Dwg. No.:

**FM-GIRT-01**

Revision:

Scale:  
N.T.S.

Sheet  
(204) A4

Sheet 1 of 1

...