

68x38x0.6mm C'BOND  
ANGLE TO MATCH CEILING

25

BOSTIK SEAL TOP

VAPOUR SEAL (MASTIC)  
x 2 LEGS

8g x16mm LG.  
SELF DRILLING/TAPPING  
CLASS 3 SCREWS FIXED  
@ 300mm CTRS

150

FOAM FILL ANY GAPS  
2 PART POLYURETHANE

50x50x0.6mm C'BOND ANGLE  
TO MATCH WALL PANEL

8g x16mm LG.  
SELF DRILLING/TAPPING  
CLASS 3 SCREWS FIXED  
@ 300mm CTRS

## WALL TO CEILING DETAIL

### NOTES:

1. ALL PANELS TO BE FM APPROVED, POLYPHEN, KINGSPAN, OR METECNOPANEL.
2. 4.8mm STEEL RIVETS MAY BE USED IN LIEU OF 8gX16mm SELF TAPPING SCREWS.
3. PANEL TO PANEL JOINTS TO BE SEALED WITH FOSROC OR SELLEYS COLDROOM MASTIC OR SIMILAR



# Retracom

*Insulated Panel Systems*

60 Magnesium Dr Crestmead, QLD. 4132  
Tel: (07) 3803 4733, Fax: (07) 3803 4711  
Email: sales@retracom.com.au

Title: FREEZER/CHILLER WALL HEAD DETAIL – FM STANDARD

For: ... Job No.: ...

Date Drawn: 21-08-06 By: C.L. Dwg. No.: FM-TOP-01 Revision: ...

Scale: N.T.S. (204) Sheet A4 Sheet 1 of 1